



STM Carbide Drill

D





Item Code	D (h6)	L2	L1
TD220 - 0005	0.5	5.5	30
TD220 - 0006	0.6	5.5	30
TD220 - 0007	0.7	5.5	30
TD220 - 0008	0.8	8	32
TD220 - 0009	0.9	16	38
TD220 - 0010	1.0	16	38
TD220 - 0011	1.1	19	38
TD220 - 0012	1.2	19	38
TD220 - 0013	1.3	19	38
TD220 - 0014	1.4	19	38
TD220 - 0015	1.5	19	38
TD220 - 0016	1.6	19	38
TD220 - 0017	1.7	19	38
TD220 - 0018	1.8	22	44
TD220 - 0019	1.9	22	44
TD220 - 0020	2.0	22	44
TD220 - 0021	2.1	22	44
TD220 - 0022	2.2	25	49
TD220 - 0023	2.3	25	49
TD220 - 0024	2.4	25	49
TD220 - 0025	2.5	25	51
TD220 - 0026	2.6	32	57
TD220 - 0027	2.7	32	57
TD220 - 0028	2.8	32	57
TD220 - 0029	2.9	32	57
TD220 - 0030	3.0	32	57
TD220 - 0031	3.1	32	57
TD220 - 0032	3.2	32	57
TD220 - 0033	3.3	35	64
TD220 - 0034	3.4	35	64
TD220 - 0035	3.5	35	64
TD220 - 0036	3.6	35	64
TD220 - 0037	3.7	35	64
TD220 - 0038	3.8	35	64
TD220 - 0039	3.9	35	64
TD220 - 0040	4.0	35	64
TD220 - 0041	4.1	35	64
TD220 - 0042	4.2	41	70
TD220 - 0043	4.3	41	70
TD220 - 0044	4.4	41	70
TD220 - 0045	4.5	41	70
TD220 - 0046	4.6	41	70
TD220 - 0047	4.7	41	70
TD220 - 0048	4.8	41	70
TD220 - 0049	4.9	41	70
TD220 - 0050	5.0	44	76

Item Code	D (h6)	L2	L1
TD220 - 0051	5.1	44	76
TD220 - 0052	5.2	44	76
TD220 - 0053	5.3	44	76
TD220 - 0054	5.4	44	76
TD220 - 0055	5.5	44	76
TD220 - 0056	5.6	44	76
TD220 - 0057	5.7	44	76
TD220 - 0058	5.8	44	76
TD220 - 0059	5.9	44	76
TD220 - 0060	6.0	51	83
TD220 - 0061	6.1	51	83
TD220 - 0062	6.2	51	83
TD220 - 0063	6.3	51	83
TD220 - 0064	6.4	51	83
TD220 - 0065	6.5	51	83
TD220 - 0066	6.6	51	83
TD220 - 0067	6.7	54	89
TD220 - 0068	6.8	54	89
TD220 - 0069	6.9	54	89
TD220 - 0070	7.0	54	89
TD220 - 0071	7.1	54	89
TD220 - 0072	7.2	54	89
TD220 - 0073	7.3	54	89
TD220 - 0074	7.4	54	89
TD220 - 0075	7.5	60	92
TD220 - 0076	7.6	60	95
TD220 - 0077	7.7	60	95
TD220 - 0078	7.8	60	95
TD220 - 0079	7.9	60	95
TD220 - 0080	8.0	60	95
TD220 - 0081	8.1	64	102
TD220 - 0082	8.2	64	102
TD220 - 0083	8.3	64	102
TD220 - 0084	8.4	64	102
TD220 - 0085	8.5	64	102
TD220 - 0086	8.6	64	102
TD220 - 0087	8.7	64	102
TD220 - 0088	8.8	64	102
TD220 - 0089	8.9	64	102
TD220 - 0090	9.0	64	102
TD220 - 0091	9.1	70	108
TD220 - 0092	9.2	70	108
TD220 - 0093	9.3	70	108
TD220 - 0094	9.4	70	108
TD220 - 0095	9.5	70	108
TD220 - 0096	9.6	73	114
TD220 - 0097	9.7	73	114
TD220 - 0098	9.8	73	114
TD220 - 0099	9.9	73	114
TD220 - 0100	10.0	73	114

High Performance Carbide Drills with Coolant Holes

D




Item Code	D (h6)	L1	L	d2(h6)
TD 362 - 0030	3	20	62	6
TD 362 - 0031	3.1	20	62	6
TD 362 - 0032	3.2	20	62	6
TD 362 - 0033	3.3	20	62	6
TD 362 - 0034	3.4	20	62	6
TD 362 - 0035	3.5	20	62	6
TD 362 - 0036	3.6	20	62	6
TD 362 - 0037	3.7	20	62	6
TD 362 - 0038	3.8	24	66	6
TD 362 - 0039	3.9	24	66	6
TD 362 - 0040	4	24	66	6
TD 362 - 0041	4.1	24	66	6
TD 362 - 0042	4.2	24	66	6
TD 362 - 0043	4.3	24	66	6
TD 362 - 0044	4.4	24	66	6
TD 362 - 0045	4.5	24	66	6
TD 362 - 0046	4.6	24	66	6
TD 362 - 0047	4.7	24	66	6
TD 362 - 0048	4.8	28	66	6
TD 362 - 0049	4.9	28	66	6
TD 362 - 0050	5	28	66	6
TD 362 - 0051	5.1	28	66	6
TD 362 - 0052	5.2	28	66	6
TD 362 - 0053	5.3	28	66	6
TD 362 - 0054	5.4	28	66	6
TD 362 - 0055	5.5	28	66	6
TD 362 - 0056	5.6	28	66	6
TD 362 - 0057	5.7	28	66	6
TD 362 - 0058	5.8	28	66	6
TD 362 - 0059	5.9	28	66	6
TD 362 - 0060	6	28	66	6
TD 362 - 0061	6.1	34	79	8
TD 362 - 0062	6.2	34	79	8
TD 362 - 0063	6.3	34	79	8
TD 362 - 0064	6.4	34	79	8
TD 362 - 0065	6.5	34	79	8
TD 362 - 0066	6.6	34	79	8
TD 362 - 0067	6.7	34	79	8
TD 362 - 0068	6.8	34	79	8
TD 362 - 0069	6.9	34	79	8
TD 362 - 0070	7	34	79	8
TD 362 - 0071	7.1	41	79	8
TD 362 - 0072	7.2	41	79	8
TD 362 - 0073	7.3	41	79	8
TD 362 - 0074	7.4	41	79	8
TD 362 - 0075	7.5	41	79	8

Item Code	D (h6)	L1	L	d2(h6)
TD 362 - 0076	7.6	41	79	8
TD 362 - 0077	7.7	41	79	8
TD 362 - 0078	7.8	41	79	8
TD 362 - 0079	7.9	41	79	8
TD 362 - 0080	8.0	41	79	8
TD 362 - 0081	8.1	47	89	10
TD 362 - 0082	8.2	47	89	10
TD 362 - 0083	8.3	47	89	10
TD 362 - 0084	8.4	47	89	10
TD 362 - 0085	8.5	47	89	10
TD 362 - 0086	8.6	47	89	10
TD 362 - 0087	8.7	47	89	10
TD 362 - 0088	8.8	47	89	10
TD 362 - 0089	8.9	47	89	10
TD 362 - 0090	9.0	47	89	10
TD 362 - 0091	9.1	47	89	10
TD 362 - 0092	9.2	47	89	10
TD 362 - 0093	9.3	47	89	10
TD 362 - 0094	9.4	47	89	10
TD 362 - 0095	9.5	47	89	10
TD 362 - 0096	9.6	47	89	10
TD 362 - 0097	9.7	47	89	10
TD 362 - 0098	9.8	47	89	10
TD 362 - 0099	9.9	47	89	10
TD 362 - 0100	10	47	89	10
TD 362 - 0101	10.1	55	102	12
TD 362 - 0102	10.2	55	102	12
TD 362 - 0103	10.3	55	102	12
TD 362 - 0104	10.4	55	102	12
TD 362 - 0105	10.5	55	102	12
TD 362 - 0106	10.6	55	102	12
TD 362 - 0107	10.7	55	102	12
TD 362 - 0108	10.8	55	102	12
TD 362 - 0109	10.9	55	102	12
TD 362 - 0110	11	55	102	12
TD 362 - 0111	11.1	55	102	12
TD 362 - 0112	11.2	55	102	12
TD 362 - 0113	11.3	55	102	12
TD 362 - 0114	11.4	55	102	12
TD 362 - 0115	11.5	55	102	12
TD 362 - 0116	11.6	55	102	12
TD 362 - 0117	11.7	55	102	12
TD 362 - 0118	11.8	55	102	12
TD 362 - 0119	11.9	55	102	12
TD 362 - 0120	12	55	102	12
TD 362 - 0125	12.5	60	107	14
TD 362 - 0130	13	60	107	14
TD 362 - 0135	13.5	60	107	14
TD 362 - 0140	14	60	107	14
TD 362 - 0145	14.5	65	115	16
TD 362 - 0150	15	65	115	16
TD 362 - 0155	15.5	65	115	16
TD 362 - 0160	16	65	115	16
TD 362 - 0165	16.5	73	123	18
TD 362 - 0170	17	73	123	18
TD 362 - 0175	17.5	73	123	18
TD 362 - 0180	18	73	123	18
TD 362 - 0185	18.5	79	131	20
TD 362 - 0190	19	79	131	20
TD 362 - 0195	19.5	79	131	20
TD 362 - 0200	20	79	131	20

High Performance Carbide Drills with Coolant Holes, Long Length

D



CARBIDE

UF

COATING

TiAlN

HRC

<50

LENGTH

5 x D

Item Code	D (h6)	L1	L	d2(h6)
TD 363 - 0030	3	28	66	6
TD 363 - 0031	3.1	28	66	6
TD 363 - 0032	3.2	28	66	6
TD 363 - 0033	3.3	28	66	6
TD 363 - 0034	3.4	28	66	6
TD 363 - 0035	3.5	28	66	6
TD 363 - 0036	3.6	28	66	6
TD 363 - 0037	3.7	28	66	6
TD 363 - 0038	3.8	36	74	6
TD 363 - 0039	3.9	36	74	6
TD 363 - 0040	4	36	74	6
TD 363 - 0041	4.1	36	74	6
TD 363 - 0042	4.2	36	74	6
TD 363 - 0043	4.3	36	74	6
TD 363 - 0044	4.4	36	74	6
TD 363 - 0045	4.5	36	74	6
TD 363 - 0046	4.6	36	74	6
TD 363 - 0047	4.7	36	74	6
TD 363 - 0048	4.8	44	82	6
TD 363 - 0049	4.9	44	82	6
TD 363 - 0050	5	44	82	6
TD 363 - 0051	5.1	44	82	6
TD 363 - 0052	5.2	44	82	6
TD 363 - 0053	5.3	44	82	6
TD 363 - 0054	5.4	44	82	6
TD 363 - 0055	5.5	44	82	6
TD 363 - 0056	5.6	44	82	6
TD 363 - 0057	5.7	44	82	6
TD 363 - 0058	5.8	44	82	6
TD 363 - 0059	5.9	44	82	6
TD 363 - 0060	6	44	82	6
TD 363 - 0061	6.1	53	91	8
TD 363 - 0062	6.2	53	91	8
TD 363 - 0063	6.3	53	91	8
TD 363 - 0064	6.4	53	91	8
TD 363 - 0065	6.5	53	91	8
TD 363 - 0066	6.6	53	91	8
TD 363 - 0067	6.7	53	91	8
TD 363 - 0068	6.8	53	91	8
TD 363 - 0069	6.9	53	91	8
TD 363 - 0070	7	53	91	8
TD 363 - 0071	7.1	53	91	8
TD 363 - 0072	7.2	53	91	8
TD 363 - 0073	7.3	53	91	8
TD 363 - 0074	7.4	53	91	8
TD 363 - 0075	7.5	53	91	8

Item Code	D (h6)	L1	L	d2(h6)
TD 363 - 0076	7.6	41	91	10
TD 363 - 0077	7.7	41	91	10
TD 363 - 0078	7.8	41	91	10
TD 363 - 0079	7.9	41	91	10
TD 363 - 0080	8.0	41	91	10
TD 363 - 0081	8.1	47	103	10
TD 363 - 0082	8.2	47	103	10
TD 363 - 0083	8.3	47	103	10
TD 363 - 0084	8.4	47	103	10
TD 363 - 0085	8.5	47	103	10
TD 363 - 0086	8.6	47	103	10
TD 363 - 0087	8.7	47	103	10
TD 363 - 0088	8.8	47	103	10
TD 363 - 0089	8.9	47	103	10
TD 363 - 0090	9.0	47	103	10
TD 363 - 0091	9.1	47	103	10
TD 363 - 0092	9.2	47	103	10
TD 363 - 0093	9.3	47	103	10
TD 363 - 0094	9.4	47	103	10
TD 363 - 0095	9.5	47	103	10
TD 363 - 0096	9.6	47	103	10
TD 363 - 0097	9.7	47	103	10
TD 363 - 0098	9.8	47	103	10
TD 363 - 0099	9.9	47	103	10
TD 363 - 0100	10	47	103	10
TD 363 - 0101	10.1	55	118	12
TD 363 - 0102	10.2	55	118	12
TD 363 - 0103	10.3	55	118	12
TD 363 - 0104	10.4	55	118	12
TD 363 - 0105	10.5	55	118	12
TD 363 - 0106	10.6	55	118	12
TD 363 - 0107	10.7	55	118	12
TD 363 - 0108	10.8	55	118	12
TD 363 - 0109	10.9	55	118	12
TD 363 - 0110	11	55	118	12
TD 363 - 0111	11.1	55	118	12
TD 363 - 0112	11.2	55	118	12
TD 363 - 0113	11.3	55	118	12
TD 363 - 0114	11.4	55	118	12
TD 363 - 0115	11.5	55	118	12
TD 363 - 0116	11.6	55	118	12
TD 363 - 0117	11.7	55	118	12
TD 363 - 0118	11.8	55	118	12
TD 363 - 0119	11.9	55	118	12
TD 363 - 0120	12	55	118	12
TD 363 - 0125	12.5	60	124	14
TD 363 - 0130	13	60	124	14
TD 363 - 0135	13.5	60	124	14
TD 363 - 0140	14	60	124	14
TD 363 - 0145	14.5	65	133	16
TD 363 - 0150	15	65	133	16
TD 363 - 0155	15.5	65	133	16
TD 363 - 0160	16	65	133	16
TD 363 - 0165	16.5	73	143	18
TD 363 - 0170	17	73	143	18
TD 363 - 0175	17.5	73	143	18
TD 363 - 0180	18	73	143	18
TD 363 - 0185	18.5	79	153	20
TD 363 - 0190	19	79	153	20
TD 363 - 0195	19.5	79	153	20
TD 363 - 0200	20	79	153	20